



## MATERIAL SAFETY DATA SHEET

Reviewed & Approved by,  
Dr. P. Arjunan, Vice President – R&D

### 1. Product identification

TRADE NAME : **LATICRETE DWA 215 Plus Part B**  
: Intended use of the product - Adhesive. For professional use only

MANUFACTURER'S NAME : MYK LATICRETE INDIA PVT. LTD  
Plot No. 30/C (Sy. No. 83/1), Orbit Building  
17th Floor, Tower 1, Knowledge City, TSIC,  
Raidurg, Ranga Reddy Dist.,  
Hyderabad - 500 081, Telangana, INDIA.  
Tel: +91-40-6817 3100  
e-mail: [cc@myklaticrete.com](mailto:cc@myklaticrete.com)  
Website: [www.myklaticrete.com](http://www.myklaticrete.com)

Emergency Tel: +91-40-6817 3100

### 2. Composition /information on ingredients

CHEMICAL NAMES	CAS NUMBERS	PERCENT	ACGIH TLV	OSHA PEL	OTHER(SPECIFY)
Liquid Epoxy Resin	25068-38-6	1-20	N/A	N/A	N/A
Reactive diluents	68609-97-2	2-10	N/A	N/A	N/A
Mineral Fillers	471-34-1	30-80	N/A	N/A	N/A

N/A = Not applicable or available

### 3. Hazard identification

#### 3.1. Classification of the substance or mixture

Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof: Properties / Symbols:

✘ Xi

Irritant

R Phrases:

R43 May cause sensitization by skin contact.

R52/53 Harmful to aquatic organisms may cause long-term adverse effects in the aquatic environment.

EC regulation criteria 1272/2008 (CLP):

Warning, Skin Irrit. 2, Causes skin irritation.

Warning, Eye Irrit. 2, Causes serious eye irritation.

Warning, Skin Sens. 1, May cause an allergic skin reaction.

Aquatic Chronic 3, Harmful to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects: No other hazards

3.2. Label elements  
Symbols:



Warning

Hazard Statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

P264 Wash ... Thoroughly after handling.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection

3.3. Other hazards

vPvB Substances: None

Other Hazards: No other hazards

#### 4. First aid measures

---

Eye Contact : Hold eyelids apart and immediately flush eyes with plenty of water for at least 15 minutes. Consult medical personnel without delay. Stain for evidence of corneal injury.

Skin Contact : Contact will probably cause no more than irritation. Wash off in flowing water or shower. Wash clothing before reuse.

Inhaled : If inhaled, remove to fresh air. If effects occur consult a physician

Swallowed : Do not induce vomiting. Call a physician.  
vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.

## 5. Fire-fighting measures

---

Flash Point , °F : 245, method used = PMCC

Auto ignition temperature, °F : N/A

Flammable limits in air, volume % : Lower (LEL): N/A Upper (UEL):N/A

FIRE extinguishing Media :

Water spray : √ Carbon dioxide : √ other: N/A

Foam : √ Dry chemical : √

Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.

Special fire fighting procedures : Wear positive pressure self contained breathing apparatus

Unusual fire and explosion hazards : N/A

Move undamaged containers from immediate hazard area if it can be done safely

## 6. Accidental release measures

---

Spill response procedures (include employee protection measures): Soak up in absorbent material or scrape up. Residual can be removed with hot water and a nonionic surfactant. Wear goggles, rubber gloves, long sleeved clothing.

Suitable material for taking up: absorbing material, organic, sand

Preparing wastes for disposal (container types, neutralization, etc.): Burn in adequate incinerator or bury in an approved landfill.

NOTE: Dispose of all wastes in accordance with federal, state and local regulations

## 7. Handling and storage

---

### 7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.  
 Don't use empty container before they have been cleaned.  
 Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.  
 Contaminated clothing should be changed before entering eating areas.  
 Do not eat or drink while working.

See also section 8 for recommended protective equipment

### 7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.  
 Incompatible materials: None in particular.  
 Instructions as regards storage premises: Adequately ventilated premises  
 Store in cool dry area

### 7.3. Specific end use(s)

Epoxy-polyurethane adhesive  
 Flexible bicomponent glue

## 8. Exposure controls / personal protection

---

Ventilation and engineering controls: Good room ventilation should be adequate for most operations

Respiratory protection (type) : None normally needed

Eye protection (type) : Chemical splash proof goggles or safety glasses

Gloves (specify material) : Rubber or polyethylene gloves

Protection for Skin : Safety shoes & Disposable suit (Body covering).

Work practices, hygienic practices : N/A

## 9. Physical and chemical properties

---

Vapor density (air=1) : N/A : 1.65      Melting point or range, °F : N/A

Specific gravity @25°C

Solubility in water	: No	Boiling point or range, °F	: N/A
Vapor pressure, mmHg at 20°C	: N/A	Evaporation rate (butyl acetate = 1)	: N/A
Solid/gas flammability	: N/A	Oxidizing properties	: N/A
Auto-ignition temperature	: 350°C	Explosive properties	: N/A
Appearance and odor	: Thixotropic paste		

HOW TO DETECT THIS SUBSTANCE (Warning properties of substance as a gas, vapor, dust, or mist): N/A

## 10. Stability and reactivity

---

Stability	: Stable
Conditions to avoid	: Excess heating over long periods of time degrades resin
Incompatibility (materials to avoid)	: Base
Hazardous decomposition products (Including combustion products): Incomplete pyrolysis or combustion results in phenolics, carbon dioxide, and water. Thermal decomposition should be traced as a potentially hazardous substance.	
Hazardous polymerization	: Will not occur
Conditions to avoid	: N.A

## 11. Toxicological information / health effects

---

Toxicological information of the mixture: N.A  
 Oral LD 11400mg/kg for rat  
 Skin LD > 2000 mg/Kg for Rabbit

## 12. Ecological information

---

### 12.1 Toxicity

Adopt good working practices, so that the product is not released into the environment.

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. N.A.

12.2. Persistence and degradability: None

12.3 Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.4 Other adverse effects: None

### **13. Disposal consideration**

---

Dispose of waste and residues in accordance with local authority requirements.

### **14. Transport information / road and rail only**

---

14.1. UN number

Not classified as dangerous in the meaning of transport regulations.

14.2. UN proper shipping name

N.A.

14.3. Transport hazard class (es)

N.A.

14.4. Packing group

N.A.

14.5. Environmental hazards

ADR-Environmental Pollutant: No

IMDG-Marine pollutant : No

14.6 Special precautions for user: NA

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code: NA

### **15. Regulatory information / EEC classification**

---

All ingredients are listed on the U.S.EPA TSCA inventory of chemical substances

### **16. Other information**

---

This information is furnished without warranty, representation, inducement or license of any kind; except that it is accurate to the best of our knowledge or obtained from sources believed by us to be accurate.